

[Web Images Videos Maps News Shopping Gmail more ▼](#)

[Scholar Preferences](#) | [Sign in](#)

Google scholar

cad OR autocad folder OR hierarchy OR directory

Search

[Advanced Scholar Search](#)

Scholar

Articles and patents

anytime

include citations



Create email alert

Results 1 - 10 of about 66. (0.10 sec)

### Context grabbing: assigning **metadata** in large document collections

[\[PDF\] from uni-siegen.de](#)

J Hinrichs, V Pipek... - ECSCW 2005, 2005 - Springer

... Most of the technical documents, especially **CAD** drawings, were created on the engineers' computers and stored on a file server. ... The **folder** structure resulting from prior archiving strategies built the basis that was complemented by the **metadata** of the index sheet that ...

[Related articles](#) - [All 28 versions](#)

### [BOOK] Development of Boundary and Land Ownership GIS Files for US Fish and Wildlife Service Region 3 National Wildlife Refuges

[\[PDF\] from umn.edu](#)

BD Mueller... - 2003 - conservancy.umn.edu

... export files (.e00), ArcView shapefiles (.shp), or as **AutoCAD** drawings (.drg). Once imported ... graphics being placed within the root CD **directory**, along with the ArcView **project file**, and a ... **directory** named data contained the boundary and land ownership files, the drg mosaic, and ...

[View as HTML](#) - [Library Search](#) - [All 7 versions](#)

### [HTML] Utility System Management: Migration from **CAD** to GIS

[\[HTML\] from esri.com](#)

ASA El-Swaify... - gis.esri.com

... mapping data is stored (rather than to the ArcView program **directory** or the **directory** that was ... an excerpt from the FCLAYER.DBF file that shows feature codes and corresponding **CAD** layers for ... The user then reads the DXF files into **AutoCAD**, which results in the survey points ...

[Cached](#)

### [PDF] Application of the NEES **Metadata** Model to the miniMOCT Experiment

[\[PDF\] from usc.edu](#)

JP Bardet, F Liu, N Mokarram... - 2004 - gees.usc.edu

... and relat- ing the various objects of the **metadata** models: Event, Task, **Project**, **File**, Person, Worker ... selection of a file type to the enumeration "DescriptiveFile, NumericalFile, Binary, **Folder**, Drawing, Movie ... from the file suffixes (eg, jpeg for photographs and DXF for **AutoCAD** files ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#) - [All 2 versions](#)

### Heterogeneous modeling for automotive electronic control units using a CASE-tool integration platform

[\[PDF\] from mcgill.ca](#)

KD Muller-Glaser, C Reichmann... - ... Design, 2004 IEEE ..., 2005 - ieeeexplore.ieee.org

... The UML specification provides the XML **Metadata** Interchange format (XMI) [7] to enable easy interchange of ... presented CASE-tool backend GeneralStore together with MATLAB/Simulink, an interim **project file** is created ... This is possible at any point in a specific model **hierarchy**. ...

[Cited by 5](#) - [Related articles](#) - [All 3 versions](#)

[\[PDF\] Managing Electronic Records](#)

[\[PDF\] from mo.gov](#)

E Records - J Med Libr Assoc, 2007 - sos.mo.gov

... **Autocad** drawing interchange format file .DXF Drawing interchange binary file .DXB Micrografx draw/graph ... Adobe Photoshop, Corel Draw, or from architectural/engineering programs such as Auto **Cad**. ... 1. Create a **folder** using Explorer on the network or other storage medium in ...

[View as HTML](#) - [All 7 versions](#)

[\[CITATION\] A ADA Program A UNIX Library A01 ARJ Multi-volume Compressed Archive \(can be 01 to 99\)\(also see 000\)](#)

[\[PDF\] from klupm.edu.sa](#)

AAAB File - Citeseer

[All 5 versions](#)

[Digital asset server and asset management system](#)

MI Thomas, DG Dauncey... - US Patent App. 10/387,248, 2003 - Google Patents

... Category JTransppitatonJjnd^ : ||y|§|t||| **Metadata** |UVEART: carjehicleautomobilChavj 26 20 22 P^ re o ff N^« o o S re re re Figure 6 ... FIELD OF THE INVENTION [0001] The present invention is related to graphic files, such as electronic images and videos, 3D **CAD** data and ...

[Cited by 3](#) - [Related articles](#) - [All 4 versions](#)

[\[HTML\] AUTOMATED TRACKING AND UPDATING SYSTEM FOR GIS DATASET MAINTENANCE](#)

[\[HTML\] from esri.com](#)

GM Boyd, F Somarriba... - gis.esri.com

... times, these hard-copy maps are generated from an existing computer-aided design (**CAD**) drawing. ... export the drawing as a DXF file to be placed under a unique **directory** for future ... For most projects, existing **AutoCAD** drawings will not include State Plane feet coordinate data. ...

[Cached](#)


[\[HTML\] GIS FOR UNIVERSITY CAMPUS PLANNING AND FACILITIES MANAGEMENT](#)

[\[HTML\] from esri.com](#)

B Boyd... - gis.esri.com

... XCODE, **AutoCAD** DXF point attributes. ... Users read ArcInfo coverages or other GIS data files such as Shape Files and **CAD** files as a "theme" into a View. ... These base map files were stored in a **directory**, or workspace, on a disk partition of an NT server. ...

[Cached](#)

 [Create email alert](#)

Googooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [Next](#)

cad OR autocad folder OR hierarchy

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google